



Consumer Confidence Report TCEQ Certificate of Delivery Texas Commission on Environmental Quality

For Calendar year: 2020
PWS ID Number: 1660001

Date Distributed to Customers: _____
PWS Name: CITY OF CAMERON

You must use at least one direct delivery and at least one good faith delivery method. If your system is under 500 population, please use Small System Certificate of Delivery form.

Direct Delivery Methods

- Mail a paper copy of the CCR
- Mail notification that CCR is available on-line at <http://cameron.texas.net>
*The Internet link (url) you insert above must take customers directly to the open CCR.
- Email direct web address of the CCR, available at http://_____
- Email CCR as an attachment to or an embedded image in an email.
- Other direct delivery (for example, door hangers or additional electronic delivery method).
Please specify: _____

Systems serving 100,000 or more people are required to post the CCR on a publicly available web site and provide the direct URL here: http://_____

Good faith delivery methods (To reach people who do not receive bills)

- Posting the CCR on the Internet at <http://cameron.texas.net>
- Mailing the CCR to people who receive mail, but who do not receive bills.
- Advertising the availability of the CCR in news media.
- Posting the CCR in public places.
- Delivering multiple copies to single billing addresses serving multiple persons.
- Delivering multiple copies of the CCR to community organizations.

I certify that the community water system named above has distributed the Consumer Confidence Report (CCR) for the calendar year of 2019 and that the information in the report is correct and consistent with the compliance monitoring data previously submitted to the TCEQ. Systems serving 100,000 or more people are required to post the CCR on a publicly available web site and provide the direct URL.

Certified By:

Name (print): Amy Harris Title: City Secretary Phone Number: 254-697-6646
Signature: Amy Harris Date: 06/29/21

All systems are required to mail by July 1 the Certificate of Delivery and Consumer Confidence Report to:

Sending by certified mail:	Sending by regular mail:
TCEQ DWSF, MC-155, Attn: CCR, 12100 Park 35 Circle Austin, TX 78753	TCEQ DWSF, MC-155, Attn: CCR, PO Box 13087 Austin, TX 78711-3087



1432 Dobyns Drive
Kingsport, TN 27664
Phone (573) 651-5478
www.AbsoluteHoldingsGroup.com

– CCR MAILING CERTIFICATION –

CLIENT:

City of Cameron
P.O. Box 833
Cameron, TX 76520

OFFICIAL MAILING DATE: **JUNE 29, 2021**

This is an official notice that your annual Consumer Confidence Report was delivered to your water customers on the date listed above. This is the date that the U.S. Postal Service accepted your reports and began the mailing process. You may use this date while completing your state certification form indicating the completion of this year's project. If you require any additional information, please let us know at your convenience.

Thank you for allowing Absolute Holdings Group to assist in the development and distribution of your Consumer Confidence Report project.

United States Postal Service
Postage Statement — USPS Marketing Mail

Comments:
 List: 397110 Absolute Holding Group
 Bat: CAMERON_D2

Post Office: Note Mail Arrival Date & Time
 (Do Not Round-Stamp)

M A I L E R	Permit Holder's Name and Address and Email Address, if Any	Telephone (804)-264-2304 Extension 3205	Name and Address of Mailing Agent (If other than permit holder)	Telephone (804)-264-2304 Extension 3205	Name and Address of Mail Owner (If other than permit holder)
	Worth Higgins & Associates 8770 Park Central Dr Richmond VA 23227-1146		Worth Higgins & Associates 8770 Park Central Dr Richmond VA 23227-1146		City of Cameron PO Box 833 Cameron TX 76520
	CAPS Cust. Ref. No. _____ CRID 5073056		CRID 5073056		CRID 20894955

M A I L I N G	Post Office of Mailing Richmond VA 23232	Mailer's Mailing Date 6/29/2021	Federal Agency Cost Code 397110	Statement Seq. No. 397110	For Automation Price Pieces, Enter Date of Address Matching and Coding 6/25/2021	No. & Type of Containers 4 1' MM Trays 2 2' MM Trays 6 2' EMM Trays Flat Trays Sacks Pallets Other
	Type of Postage <input checked="" type="checkbox"/> Permit Imprint <input type="checkbox"/> Precanceled Stamps <input type="checkbox"/> Metered	Processing Category <input checked="" type="checkbox"/> Letters <input type="checkbox"/> CMM <input type="checkbox"/> Flats <input type="checkbox"/> Catalogs <input type="checkbox"/> Marketing Parcels	Total # of Pieces in Mailing 1,114	SSF Transaction #	For CR Price Pieces, Enter Date of Address Matching and Coding 6/25/2021	
	For Mail Enclosed Within Another Class <input type="checkbox"/> Periodicals <input type="checkbox"/> Bound Printed Matter <input type="checkbox"/> Library Mail <input type="checkbox"/> Media Mail	Move Update Method <input type="checkbox"/> ASE <input type="checkbox"/> Multiple <input type="checkbox"/> NCOALink <input type="checkbox"/> OneCode ACS <input type="checkbox"/> ACS <input type="checkbox"/> Alternative Method <input type="checkbox"/> n/a Alternative Address Format	Weight of a Single Piece 0.0619 pounds	Permit # 320	For CR Price Pieces, Enter Date of CR Sequencing 6/25/2021	
	Combined Mailing <input type="checkbox"/> Mixed Class <input type="checkbox"/> Single Class	<input type="checkbox"/> Letter-size or flat mailpiece contains DVD/CD or other disk.	This is a Political Mailing <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Mailpiece is a product sample. _____ % Samples	For Pieces Bearing a Simplified Address Enter Date of Delivery Statistics File or Alternative Method	

Parts Completed (Select all that apply) A B C D E F G H L S NSA

P O S T A G E	1	Subtotal Postage (Add Parts Totals)	293.21
	2	Price at Which Postage Affixed (Check one) Complete if the mailing includes pieces bearing metered/PC Postage or precanceled stamps. <input type="checkbox"/> Correct <input type="checkbox"/> Lowest <input type="checkbox"/> Neither	pcs. x \$ = Postage Affixed
	3	Incentive/Discount Flat Dollar Amount	
	4	Fee Flat Dollar Amount	
	5	Permit # _____ Net Postage Due (Line 1 +/- Lines 2, 3, 4)	293.21

U S S E	Additional Postage Payment (State reason)	
	For postage affixed add additional payment to net postage due; for permit imprint add additional payment to total postage.	Total Adjusted Postage Affixed
	Postmaster: Report Total Postage in AIC 130 (Permit Imprint Only, Excluding Simplified Addressing (EDDM))	Total Adjusted Postage Permit Imprint
Postmaster: Report Total Postage in AIC 208 (Simplified Addressing (EDDM), Permit Imprint Only)	Total Adjusted Postage Simplified Addressing (EDDM)	

CERTIFICATION: Incentive/Discount Claimed: _____ Type of Fee: _____

The mailer's signature certifies acceptance of liability for and agreement to pay any revenue deficiencies assessed on this mailing, subject to appeal. If an agent signs this form, the agent certifies that he or she is authorized to sign on behalf of the mailer and that the mailer is bound by the certification and agrees to pay any deficiencies. In addition, agents may be liable for any deficiencies resulting from matters within their responsibility, knowledge, or control. The mailer hereby certifies that all information furnished on this form is accurate, truthful, and complete; that the mail and the supporting documentation comply with all postal standards and the mailing qualifies for the prices and fees claimed; and that the mailing does not contain any matter prohibited by law or postal regulation. I understand that anyone who furnishes false or misleading information on this form or who omits information requested on this form may be subject to criminal and/or civil penalties, including fines and imprisonment.

Signature of Mailer or Agent: _____ Printed Name of Mailer or Agent Signing Form: Worth Higgins & Associates Telephone: (804)-264-2304 Extension: 3205

Privacy Notice: For information regarding our Privacy Policy visit www.usps.com.

N O N U S B P E O S C T O A M L S P O L N E E O N D S I Y I T N E S	Weight of a Single Piece _____ pound	Total Weight	Are postage figures at left adjusted from mailer's entries? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, reason:	Round Stamp (Required) Payment Date
	Total Pieces	Total Postage		
	Presort Verification Performed? (If required) <input type="checkbox"/> Yes <input type="checkbox"/> No			
	I CERTIFY that this mailing has been inspected for each item below if required: (1) eligibility for postage prices claimed; (2) proper preparation (and presort where required); (3) proper completion of postage statement; (4) payment of annual fee; and (5) sufficient funds on deposit (if required).	Date Mailer Notified	Contact	
	USPS Employee's Signature	By (Initials)	Time	AM PM
	Print USPS Employee's Name			

United States Postal Service
Postage Statement — USPS Marketing Mail

Comments:
 List: 397110 Absolute Holding Group
 Bat: CAMERON_D1

Post Office: Note Mail Arrival Date & Time
 (Do Not Round-Stamp)

M A I L E R	Permit Holder's Name and Address and Email Address, if Any Worth Higgins & Associates 8770 Park Central Dr Richmond VA 23227-1146	Telephone (804)-264-2304 Extension 3205	Name and Address of Mailing Agent (If other than permit holder) Worth Higgins & Associates 8770 Park Central Dr Richmond VA 23227-1146	Telephone (804)-264-2304 Extension 3205	Name and Address of Mail Owner (If other than permit holder) City of Cameron PO Box 833 Cameron TX 76520
	CAPS Cust. Ref. No. _____ CRID 5073056		CRID 5073056		CRID 20894955

M A I L I N G	Post Office of Mailing Richmond VA 23232	Mailer's Mailing Date 6/29/2021	Federal Agency Cost Code	Statement Seq. No. 397110	For Automation Price Pieces, Enter Date of Address Matching and Coding 6/25/2021	No. & Type of Containers 1 1' MM Trays 2' MM Trays 1 2' EMM Trays Total Trays Flat Trays Sacks Pallets Other
	Type of Postage <input checked="" type="checkbox"/> Permit Imprint <input type="checkbox"/> Precanceled Stamps <input type="checkbox"/> Metered	Processing Category <input checked="" type="checkbox"/> Letters <input type="checkbox"/> CMM <input type="checkbox"/> Flats <input type="checkbox"/> Catalogs <input type="checkbox"/> Marketing Parcels	Total # of Pieces in Mailing 210	SSF Transaction #	For CR Price Pieces, Enter Date of Address Matching and Coding 6/25/2021	
	For Mail Enclosed Within Another Class <input type="checkbox"/> Periodicals <input type="checkbox"/> Bound Printed Matter <input type="checkbox"/> Library Mail <input type="checkbox"/> Media Mail	Move Update Method <input type="checkbox"/> ASE <input type="checkbox"/> Multiple <input type="checkbox"/> NCOALink <input type="checkbox"/> OneCode ACS <input type="checkbox"/> ACS <input type="checkbox"/> Alternative Method <input type="checkbox"/> n/a Alternative Address Format	Total Weight 12.9990	Permit # 320	For CR Price Pieces, Enter Date of CR Sequencing 6/25/2021	
	Weight of a Single Piece 0.0619 pounds	<input type="checkbox"/> Letter-size or flat mailpiece contains DVD/CD or other disk.	<input type="checkbox"/> Mailpiece is a product sample. _____ % Samples	For Pieces Bearing a Simplified Address Enter Date of Delivery Statistics File or Alternative Method 6/25/2021		
	Combined Mailing <input type="checkbox"/> Mixed Class <input type="checkbox"/> Single Class	This is a Political Mailing <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				
		This is Official Election Mail <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				

P O S T A G E	Parts Completed (Select all that apply) <input checked="" type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/> E <input type="checkbox"/> F <input type="checkbox"/> G <input type="checkbox"/> H <input type="checkbox"/> L <input type="checkbox"/> S <input type="checkbox"/> NSA	
	1	Subtotal Postage (Add Parts Totals) 54.39
	2	Price at Which Postage Affixed (Check one) Complete if the mailing includes pieces bearing metered/PC Postage or precanceled stamps. <input type="checkbox"/> Correct <input type="checkbox"/> Lowest <input type="checkbox"/> Neither pcs. x \$ = Postage Affixed
	3	Incentive/Discount Flat Dollar Amount
	4	Fee Flat Dollar Amount
5	Permit # _____ Net Postage Due (Line 1 +/- Lines 2, 3, 4) 54.39	

U S P S E	Additional Postage Payment (State reason)	Total Adjusted Postage Affixed
	For postage affixed add additional payment to net postage due; for permit imprint add additional payment to total postage. Postmaster: Report Total Postage in AIC 130 (Permit Imprint Only, Excluding Simplified Addressing (EDDM))	Total Adjusted Postage Permit Imprint
	Postmaster: Report Total Postage in AIC 208 (Simplified Addressing (EDDM), Permit Imprint Only)	Total Adjusted Postage Simplified Addressing (EDDM)

C E R T I F I C A T I O N

Incentive/Discount Claimed: _____ Type of Fee: _____

The mailer's signature certifies acceptance of liability for and agreement to pay any revenue deficiencies assessed on this mailing, subject to appeal. If an agent signs this form, the agent certifies that he or she is authorized to sign on behalf of the mailer and that the mailer is bound by the certification and agrees to pay any deficiencies. In addition, agents may be liable for any deficiencies resulting from matters within their responsibility, knowledge, or control. The mailer hereby certifies that all information furnished on this form is accurate, truthful, and complete; that the mail and the supporting documentation comply with all postal standards and the mailing qualifies for the prices and fees claimed; and that the mailing does not contain any matter prohibited by law or postal regulation. I understand that anyone who furnishes false or misleading information on this form or who omits information requested on this form may be subject to criminal and/or civil penalties, including fines and imprisonment.

Signature of Mailer or Agent _____ Printed Name of Mailer or Agent Signing Form
Worth Higgins & Associates Telephone (804)-264-2304 Extension 3205

Privacy Notice: For information regarding our Privacy Policy visit www.usps.com.

N O N U S B P E O S S C T O A M L P O L N E E T I O N E D S I T N E S	Weight of a Single Piece _____ pound	Total Weight _____	Are postage figures at left adjusted from mailer's entries? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, reason:	Round Stamp (Required) Payment Date	
	Total Pieces _____	Total Postage _____			
	Presort Verification Performed? (If required) <input type="checkbox"/> Yes <input type="checkbox"/> No		Date Mailer Notified		Contact
	I CERTIFY that this mailing has been inspected for each item below if required: (1) eligibility for postage prices claimed; (2) proper preparation (and presort where required); (3) proper completion of postage statement; (4) payment of annual fee; and (5) sufficient funds on deposit (if required).		By (Initials)		Time AM PM
	USPS Employee's Signature _____		Print USPS Employee's Name _____		

This report is a summary of the quality of the water we provide our customers. The analysis was made by using the data from the most recent U.S. Environmental Protection Agency (EPA) required tests and is presented in the attached pages. We hope this information helps you become more knowledgeable about what's in your drinking water.

Public Participation Opportunities

Date: July 19, 2021

Time: 5:30 p.m.

Phone: (254) 697-6646

Location: City Council Chambers
100 S. Houston Avenue
Cameron, TX 76520

To learn about future public meetings (concerning your drinking water), or to request to schedule one, please call us.

Questions

If you have questions about this report or your water service, please contact Water Superintendent Brandon White at 254-697-6646.

En Español

Este informe incluye información importante sobre el agua potable. Si tiene preguntas o comentarios sobre este informe en español, favor de llamar al tel. (254) 697-6646 – para hablar con una persona bilingüe en español.




Cameron
Hometown, Texas

City of Cameron

PWS ID# TX1660001

PO Box 833

Cameron, TX 76520



Cameron
Hometown, Texas

PWS ID# TX1660001

2020
Annual Drinking
Water Quality
Report



Source of Drinking Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

Where Do We Get Our Drinking Water?

The source of drinking water used by the City of Cameron is surface water. The TCEQ completed an assessment of your source water and results indicate that some of your sources are susceptible to certain contaminants. The sampling requirements for your water system are based on this susceptibility and previous sample data. Any detections of these contaminants may be found in this Consumer Confidence Report. For more information on source water assessments and protection efforts at our system, contact Water Superintendent Brandon White at 254-697-6646.

All Drinking Water May Contain Contaminants

When drinking water meets federal standards there may not be any health benefits to purchasing bottled water or point of use devices. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791).

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Secondary Constituents

Many constituents (such as calcium, sodium, or iron) which are often found in drinking water, can cause taste, color, and odor problems. The taste and odor constituents are called secondary constituents and are regulated by the State of Texas, not the EPA. These constituents are not causes for health concern. Therefore, secondaries are not required to be reported in this document but they may greatly affect the appearance and taste of your water.

Additional Health Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. This water supply is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components.

When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking.

If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

Definitions

The charts on the following pages may contain terms and abbreviations with which you are not familiar. To help you better understand these terms we've provided the following definitions:

Action Level (AL) – the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Action Level Goal (ALG) – the level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety.

Avg. – Regulatory compliance with some MCLs is based on running annual average of monthly samples.

Level 1 Assessment – A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment – A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

Maximum Contaminant Level (MCL) – the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) – the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA – not applicable.

NTU – nephelometric turbidity units (a measure of turbidity).

Parts per billion (ppb) – micrograms per liter (µg/l) or one ounce in 7,350,000 gallons of water.

Parts per million (ppm) – milligrams per liter (mg/l) or one ounce in 7,350 gallons of water.

Picocuries per liter (pCi/L) – a measure of radioactivity.

2020 Test Results

We routinely monitor for constituents in your drinking water according to Federal and State laws. The test results table shows the results of our monitoring for the period of January 1st to December 31st, 2020.

You may be more vulnerable than the general population to certain microbial contaminants, such as *Cryptosporidium*, in drinking water. Infants, some elderly, or immunocompromised persons such as those undergoing chemotherapy for cancer; persons who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders, can be particularly at risk from infections. You should seek advice about drinking water from your physician or health care providers. Additional guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* are available from the Safe Drinking Water Hotline (800-426-4791).

Inorganic Contaminants							
Contaminant (Units)	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Violation	Likely Source of Contamination
Barium (ppm)	2020	0.0677	0.0677-0.0677	2	2	No	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Cyanide (ppm)	2020	60	60-60	200	200	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories
Fluoride (ppm)	2020	0.3	0.29-0.29	4	4.0	No	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Nitrate (measured as Nitrogen) (ppm)	2020	5	1.94-5.2	10	10	No	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits

Lead and Copper							
Contaminant (Units)	Date Sampled	MCLG	AL	90th Percentile	# Sites Over AL	Violation	Likely Source of Contamination
Copper (ppm)	2019	1.3	1.3	0.189	0	No	Erosion of natural deposits; leaching from wood preservatives; corrosion of household plumbing systems
Lead (ppb)	2019	0	15	0	0	No	Corrosion of household plumbing systems; erosion of natural deposits

Coliform Bacteria						
MCLG	Total Coliform MCL	Highest No. of Positive	Fecal Coliform or E. Coli MCL	Total No. of Positive E. Coli or Fecal Coliform Samples	Violation	Likely Source of Contamination
0	1 positive monthly sample.	12	Fecal Coliform or E. Coli MCL: A routine sample and a repeat sample are total coliform positive, and one is also fecal coliform or E. coli positive.	0	No	Naturally present in the environment.

Disinfection By-Products							
Contaminant (Units)	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Violation	Likely Source of Contamination
Chlorine Residual (ppm)	2018	2.05	2.05-2.05	4	4	No	Water additive used to control microbes
Haloacetic Acids (HAA5) (ppb)	2020	30*	2.4-35.6	NA	60	No	By-product of drinking water disinfection
Total Trihalomethanes (TTHM) (ppb)	2020	83**	57.1-92.8	NA	80	Yes	By-product of drinking water disinfection

* The value in the Highest Level or Average Detected column is the highest average of all HAA5 sample results collected at a location over a year.

** The value in the Highest Level or Average Detected column is the highest average of all TTHM sample results collected at a location over a year.

Synthetic Organic Contaminants Including Pesticides and Herbicides

Contaminant (Units)	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Violation	Likely Source of Contamination
Atrazine (ppb)	2020	1	1.2 - 1.2	3	3	No	Runoff from herbicide used on row crops

Volatile Organic Contaminants

Contaminant (Units)	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Violation	Likely Source of Contamination
Carbon Tetrachloride (ppb)	2020	1	0 - 0.6	0	5	No	Discharge from chemical plants and other industrial activities

Turbidity

	Level Detected	Limit (Treatment Technique)	Violation	Likely Source of Contamination
Highest Single Measurement	0.3 NTU	1 NTU	No	Soil runoff
Lowest Monthly % Meeting Limit	100%	0.3 NTU	No	Soil runoff

Turbidity is a measurement of the cloudiness of water caused by suspended particles. We monitor it because it is a good indicator of water quality and the effectiveness of our filtration system.

Total Organic Carbon

The percentage of Total Organic Carbon (TOC) removal was measured each month and the system met all TOC removal requirements set, unless a TOC violation is noted in the violations section.

Violations

Public Notification Rule

The Public Notification Rule helps to ensure that consumers will always know if there is a problem with their drinking water. These notices immediately alert consumers if there is a serious problem with their drinking water (e.g., a boil water emergency).

Violation Type	Violation Begin	Violation End	Violation Explanation
PUBLIC NOTICE RULE LINKED TO VIOLATION	08/23/2020	2020	We failed to adequately notify you, our drinking water consumers, about a violation of the drinking water regulations.

Total Trihalomethanes (TTHM)

Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

Violation Type	Violation Begin	Violation End	Violation Explanation
MCL, LRAA	07/01/2020	09/30/2020	Water samples showed that the amount of this contaminant in our drinking water was above its standard (called a maximum contaminant level and abbreviated MCL) for the period indicated.

